

Donner ROUND (Gel)

Hygienické bezkontaktní použití. V bílé, stříbrné nebo černé barvě



EAN: 8596220013552

1 390 Kč

1 149 Kč excluding VAT



EAN: 8596220010438

1 290 Kč

1 066 Kč excluding VAT



EAN: 8596220010421

1 390 Kč

1 149 Kč excluding VAT

Donner ROUND Gel is designed for contactless dispensing of gel-based products such as soap or gel disinfectants. It works completely automatically - without contact. The automatic dispenser has a 700 ml reservoir (up to 1400 doses). The dosage can be adjusted for maximum savings and efficiency. The dispenser can be refilled, so you are not tied to a single supplier. Compact dimensions and elegant design allow you to place Donner ROUND Gel practically anywhere.

Hygienic touchless use.

Thanks to the reliable infrared sensor, the dispenser releases a dose of filling immediately after placing the palm. As a result, hands do not come into contact with the dispenser at all, effectively preventing their contamination by bacteria and viruses.

Touchless disinfectant dispenser

The Donner ROUND Gel will serve excellently as an automatic dispenser of disinfectant. Placed in

entrance areas, it will ensure maximum hygiene and a sense of safety for all visitors or employees.

Practical soap dispenser

Elegant design and compact dimensions make this dispenser ideal for use in any washroom or bathroom. The ROUND Gel dispenser is perfect for hygienic dispensing of gel soap. Thanks to this, you can have a soap dispenser and gel disinfectant dispenser in a uniform design.

Adjustable volume of dose

The Donner ROUND Gel dispenser allows for precise adjustment of the dispensed dose of gel. The adjustment is done step by step in increments of 0.5 ml (from 0.5 to 5 ml). If you use it as a soap dispenser, you can set the amount needed for comfortable washing, which avoids unnecessary waste. When used as a disinfectant dispenser, you can be sure that you are using the amount of disinfectant recommended by the manufacturer.

Durable body made of stainless steel.

The body of the dispenser in stainless steel design is made of high-quality steel. You can choose from two surface finishes, polished stainless steel or white color. The automatic dispenser thus resists mechanical damage and increased humidity well.

Simple fulfillment

The dispenser is equipped with a container with a capacity of 700 ml - up to 1400 doses of disinfectant or soap. The new refill is easily poured into the dispenser through a wide opening after removing the top cover. You are not bound to only one supplier of replacement refills (bags). The cover is secured with a lock to prevent unauthorized manipulation with the dispenser. The large filling opening allows easy filling even from large containers without unnecessary mess.

Easy maintenance

The body of the disinfection or liquid soap dispenser is smooth and without unnecessary folds where dirt could accumulate. The dispenser only needs to be wiped with a damp cloth and a common cleaning agent as part of regular cleaning. The dispenser nozzle can be removed and rinsed from time to time.

Long battery life

The dispenser is powered by 4 pieces of AA pencil batteries (DC6V). When using high-quality batteries, the Donner dispenser can last up to six months.

Notice: For proper functionality of the automatic dispenser, only use the power batteries specified by the manufacturer. Do not use non-alkaline and rechargeable batteries, as this type leads to its rapid self-discharge.

Parameters

Basic parameters

Model:	Donner ROUND (Gel)
Warranty period:	2 years
Product TARIC code:	84798997

Technical parameters

Method of attachment / installation:	Wall/stand
Housing material - case:	Metal / stainless steel
Surface finish - color:	White lacquer / brushed stainless steel / black
Boot system:	Automatic- infrared
Trigger distance:	5-9 cm
Status indication:	LED diode
Dispenser capacity:	700 ml
Job description:	Gel base (disinfection, soap, shampoo, detergent)
Refilling the cartridge.:	Refilling with a wide throat
Dose setting:	0.5-2.5 ml (5 steps setting)
Number of doses per one filling:	280-1400
Operating temperature:	0-45 °C

Electric specifications

Power:	6x AA 1.5 V (non-rechargeable batteries only)
--------	---

Protective and security elements

Prevention of unauthorized manipulation:	Service key
--	-------------

Dimensions, weight, packaging

Device dimensions:	220 x 110 x 100 mm (l/w/h)
Device weight:	1.1 kg
Packaging dimensions:	255 x 132 x 115 mm (w/h/d)
Weight including packaging (kg):	1.3 kg
Packing method:	Protective film, cardboard box
Width of the packaging:	13.2
Height of the packaging:	25,5
Depth of the packaging:	11,5

