

Jet Dryer AIRTAP 3v1 - kulatá

Kulatá základna jedno hlavní rameno, vlevo dávkovač mýdla, střed voda, vpravo tryska sušení, povrch kartáčovaný nerez



EAN: 8596220014047

17 990 Kč

14 868 Kč bez DPH

Jet Dryer AIRTAP 3-in-1 - soap, water, and drying all in one elegant solution

Jet Dryer AIRTAP 3-in-1 is a revolutionary device that combines a soap dispenser, faucet, and hand dryer into one compact unit. The user can manage the entire hygiene process – from soap to hand drying – without moving, without contact, and directly at one sink.

Complete hand hygiene

No more drops on the floor, clogged bins with paper towels, or moving between three different devices. Jet Dryer AIRTAP 3-in-1 allows:

- Safe and touchless soap dispensing
- Automatic water activation
- Instant hand drying with a stream of air directly at the sink

Thanks to the integrated sensor system, each function activates independently based on the position of the hands, ensuring that everything happens quickly, hygienically, and without touch.

Elegant and practical design

Jet Dryer AIRTAP 3-in-1 is made of high-quality stainless steel with a brushed finish that withstands

moisture and frequent use. Its modern, rounded design perfectly fits any luxurious or high-traffic restroom – from office spaces to hotels, shopping malls, and airports.

HEPA filtration and automatic heating

The system includes a class H13 HEPA filter that captures up to 99.9% of bacteria and viruses. Additionally, the dryer is equipped with smart air heating that activates only at lower room temperatures, saving energy.

Space-saving and operational cost savings

By integrating three devices into one, the AIRTAP 3-in-1 saves space, time, and money. Users do not have to wait; each sink is fully self-sufficient – without the need for an additional dryer or paper towel dispensers. The need for cleaning is also minimized, as everything happens directly at the sink without dripping water on the floor.

Easy installation and safe operation

The entire system is designed so that its installation does not require any construction work – the unit with the dryer and dispenser is simply placed under the sink or in a cabinet. The faucet itself is installed directly into the standard faucet hole of size ø35 mm.

The device is protected against overload, short circuit, and excessive operation, and is equipped with a timer for automatic shut-off.

Jet Dryer AIRTAP 3-in-1 – the new standard for modern restrooms

Are you looking for an elegant, hygienic, and space-saving solution for your facilities? Jet Dryer AIRTAP 3-in-1 offers a premium combination of technology, comfort, and cleanliness – all in one place and without compromises.

Warning:

Vysoušeč v baterii Jet Dryer AIRTAP 3v1 - kulatá není vhodný pro instalaci do nerezových umyvadel. Může docházet k odleskům a k samospouštění baterie.

Parts of the packaging:

- Allen key
- 5 x 25 mm self-tapping screw, 4 pieces
- 5 mm anchor 4 pieces
- Instructions

Parameters

Basic parameters

Model:	Jet Dryer AIRTAP 3-in-1
Use:	Representative washrooms and bathrooms, busy operations, places limited by space
Product TARIC code:	85163300
Warranty:	3

Technical parameters

Method of securing the unit:	Position under the sink / wall-mounted
Battery installation method:	To the sink drain
Cover material of the unit:	White ABS plastic
Material of the battery body:	Stainless steel
Surface finish - color:	Brushed stainless steel
Noise - sound level:	75 dB
Controls:	The water temperature using a mixing valve
Status indication:	No
Trigger System (Power On, Control):	Automatic-infrared sensor
Switching distance:	8-12 cm
Warm air:	Automatic according to the surrounding temperature (below 25°C)
Change engine speed / air speed:	1 speed
Air Speed:	95 m / s
Water flow:	up to 7 l/min at a pressure of 0.4 MPa
Operating temperature:	0-40 °C
Standard air filter:	No
HEPA filter:	Yes
HEPA filter class:	H13
Appropriate water temperature:	0-80 °C
Operating water pressure:	0.1-0.8 MPa
Case material:	ABS plastic
Type:	In the battery
Soap dispenser capacity:	1000 ml
Type of soap:	Foam soap

Electric specifications

Input voltage:	220-240 V
Frequency:	50/60 Hz
Power input:	1,300 W
Motor power:	800 W
Motor type:	DC carbon-free motor
Current consumption:	5.5 A
Standby mode:	<2 W
Power cable:	CEE plug 7/7
Power cord length:	75 cm

Protective and security elements

Protection against excessive use:	yes, max. 45 s
Overcurrent protection, overheating and short-circuit protection:	Yes
Electricity class protection:	II. (amplified insulation)
Degree of protection:	IP24

Dimensions, weight, packaging

Unit dimensions:	315x216x191 mm (w/h/d)
Battery body dimensions:	141x260x175 mm (w/l/h)
Dimensions of the soap dispenser unit:	300x90x100 mm (h/w/d)
Packaging dimensions:	325x530x255 mm (w/l/h)
Unit weight:	5.7 kg
Weight including packaging (kg):	7.5
Packing method:	Protective polybag, polystyrene cover, cardboard box
Width of the packaging (cm):	53
Height of packaging (cm):	32.5
Depth of packaging (cm):	25,5



