

Jet Dryer II. JAKOST COMPACT

VYSTAVENO/ROZBALENO - více informací v popisu



EAN: 8596220010308x

12 390 Kč

10 240 Kč excluding VAT

EAN: 8596220010292x

13 190 Kč

10 901 Kč excluding VAT

II. Jakost

Jet Dryer COMPACT bílý - Jedná se o vzorek přístroje, bez loga, zcela NOVÉ, bez známek poškození. ZÁRUKA 2 roky. Blíže viz foto

II. Jakost

Jet Dryer COMPACT stříbrný - přístroj byl použitý při prezentaci, mohou být mírné oděrky. Bez přívodního kabelu, možnost napojení přímo do zdi. Obal může být poškozen.

The Jet Dryer COMPACT is a small jet dryer suitable primarily for washrooms with limited space. In silver design, the front panel of the dryer is made of metal, which increases its durability in busy operations.

The COMPACT hand dryer is equipped with a HEPA filter. The water that does not evaporate during drying is collected in a drip tray.

The smallest jet hand dryer

COMPACT is the smallest jet dryer from the Jet Dryer series. The height of the device is only 48 centimeters, with a width of 30 centimeters. It is therefore suitable mainly for small bathrooms, where you would otherwise have to settle for only hot air dryers.

How does the Jet Dryer COMPACT jet air dryer work?

The use of the Jet Dryer COMPACT hands-free dryer is simple. After inserting your hands into the drying zone, a stream of air from both sides of the dryer immediately starts to wipe and dry the water from your palms. Most of the water evaporates during the drying process, while the remaining amount is collected in the catchment container.

Metal front cover in silver finish.

In silver finish, Jet Dryer COMPACT is more resistant to rough handling compared to other dryers. The front side of this dryer is protected by brushed stainless steel sheet. The body, just like in the white version, is made of durable ABS plastic.

Possibility to place your own advertisement

It is possible to place your own printed foil on the front panel of the hand dryer in the white version. You can thus place any advertisement on the hand dryer, or match the design of the hand dryer with the rest of the restroom.

Saving and easy maintenance

The operation of the Jet Dryer COMPACT hand dryer is significantly more economical compared to paper towels. You will also have fewer worries about regularly emptying overflowing trash bins filled with paper towels. The dryer only needs to be wiped with a soft cloth from time to time.

Dry Floor system

The electric dryer COMPACT is equipped with a Dry Floor system for capturing dripping water. Under the dryer, the floor is always dry and safe. The volume of the drip tray is sufficient even for busy operations.

Sanitary operation thanks to HEPA filter

Drying hands is completely touchless, which prevents cross-contamination by bacteria and viruses. The air sucked into the dryer is gradually filtered through a dust filter and then a HEPA filter. As a result, only clean and safe air flows from the dryer. It is possible to pour disinfectant into the drip tray of the dryer, which also pleasantly refreshes the air in the toilets.

LED status indication and drying zone illumination

The drying zone is illuminated by 4 blue LED lights. There is a LED light hidden under an elongated window on the front side of the dryer. The blue backlight indicates that the dryer is ready for use. When using the dryer, it lights up in green, and the intensity of the lighting increases with drying time.

Optional air heating

The heating of the blown air in the Jet Dryer COMPACT dryer can be permanently turned on or off. The choice of heating, as well as turning the device on/off, is done on the side of the dryer by holding the

button for a few seconds.

Automatic engine shutdown

The safety system of the dryer automatically turns off in case of too long operation. The device is further equipped with protection against short circuit and overheating.

Parts of the packaging:

- Assembly instructions
- Assembly suspension panel
- 5 mm dowel 2 pcs
- 5 x 35 mm self-tapping screw 2 pcs

Parameters

Basic parameters

Model:	Jet Dryer COMPACT
Use:	Washrooms limited by space
Warranty:	2 years

Technical parameters

Mounting method - installation:	Wall
Noise - sound level:	70 dB
Case material:	White dyed plastic / metal + silver dyed plastic
Surface finish - color:	White, Silver
Antibacterial protection:	No
Controls:	Two buttons on the left side of the device.
Status indication:	Yes
Drying chamber lighting:	Blue LED Lighting
Trigger System (Power On, Control):	Automatic - infrared sensor
Warm air:	Yes / permanently turned off
Air preheating:	No
Change engine speed / air speed:	No
Air flow:	42 liters per second
Air Speed:	106 m/s
Dry Floor system:	Yes - drip tray
Drip tray volume:	250 ml
Number of uses until the drip tray is filled:	160
Operating temperature:	-10 °C / + 40 °C
UV sterilization:	No
Standard air filter:	Yes
HEPA filter:	Yes
Type:	Sparkling
HEPA filter class:	H13

Electric specifications

Input voltage:	AC 220-240 V
Frequency:	50/60 Hz
Power input:	1900 W
Heating element output:	900 W
Motor power:	1000 W
Motor type:	Serial AC commutator
Current consumption:	8.6 A
Standby mode:	<2 W
Power cable:	CEE plug 7/7
Power cord length:	135 cm

Protective and security elements

Protection against excessive use:	Automatic engine shutdown after 25 s
Overcurrent protection, overheating and short-circuit protection:	Yes
Electricity class protection:	I. (protective conductor)
Degree of protection:	IPX4

Dimensions, weight, packaging

Device dimensions:	480x300x210 mm (w/d/h), width of drying zone opening 90 mm
--------------------	--

Device weight:	7 kg
Weight including packaging (kg):	10 kg
Packaging dimensions:	390x585x300 mm
Packing method:	Protective polybag, polystyrene cover, cardboard box
Width of the packaging (cm):	58.5
Height of packaging (cm):	39
Depth of packaging (cm):	30

