

Spring Source Coffee machine filter CMF006

Vysoce kvalitní filtr, který stabilizuje uhličitán vápenatý a odstraňuje nečistoty.



EAN: 8596220012838

189 Kč

156 Kč bez DPH

The replacement water filter **Spring Source CMF006** is compatible with the water filter **DeLonghi DLS C002**.

Spring Source CMF006 filter insert contains high quality ion exchange resin and activated carbon, which stabilize calcium carbonate and remove impurities. This improves the taste and aroma of the coffee. The filter increases the performance and efficiency of the coffee maker. It also prolongs its lifespan, as it keeps the machine clean. It prevents the coffee maker from getting contaminated due to calcium deposits.

The Spring Source CMF006 water filter takes care of improving the water quality and thus **prevents the formation of limescale** inside the coffee machine.

The filter is made of food-grade materials certified by NSF, without any lead content. It does not contain any harmful substances. It complies with European regulations on food quality EC-1935/2016, ROHS, REACH, BPA-Free, TUV.

We recommend changing the filter in the coffee maker every two months.

Key features of the Spring Source CMF006 water filter

- certified by NSF42, WQA, TUV Certification
- high-quality lead-free filter cartridge
- effectively removes impurities that impair the taste and aroma of coffee
- The filter improves the efficiency of the device, prolongs the lifespan of the coffee maker.
- 2-year warranty
- contents of packaging 1 pc
- it is easy and quick to install
- for optimal results, it is necessary to replace every 2 months
- the quality of compatible filters is fully comparable to original filters

Filtr Spring Source CMF006 is compatible with DeLonghi DLSC002.

It can be used in the following coffee machines: ECAM and ETAM bean-to-cup coffee machines; Traditional pump coffee machines from the EC680 and EC800 series.

Compatible model of DeLonghi coffee maker:

- **EC800 Series:** EC820.B, EC850.M, EC860.M
- **ESAM series:** ESAM6900 - Primadonna Exclusive, ESAM6700 - Primadonna Avant, ESAM6620 - Primadonna, ESAM04.350.S - Magnifica Pronto Cappuccino, ESAM4200.S - Magnifica, ESAM04.110.S - Magnifica, ESAM4000B - Magnifica, ESAM2600 - Magnifica Caffè Corso
- **ECAM Series:** ECAM 22,310.S - Magnifica S Plus, ECAM 22,360.S - Magnifica S Cappuccino, ECAM 26,465 - Primadonna S Deluxe, ECAM 45,760.W - Eletta Cappuccino Top, ECAM 44.660.B - Eletta Cappuccino, ECAM 44.620.S - Eletta Plus - ECAM 23,420, ECAM 22,110 B, Autentica ETAM 29,660.SB, Autentica ETAM ETAM29.510.B, Dinamica ECAM 350.15 B, Dinamica ECAM 350.35.S, Dinamica ECAM 350.35.W, Dinamica ECAM 350.55 B, Dinamica ECAM 350.55.SB, Dinamica ECAM 353.15.B, Dinamica ECAM 353.75.B, Dinamica ECAM 353.75.W, Dinamica Plus ECAM 370.85.SB, Dinamica Plus ECAM 370.95.S, Dinamica Plus ECAM 370.95.T, ECAM 22,110 W, ECAM 23,460.B, ECAM 23,460.S, ECAM 350.75 S, ECAM 45,760.W, ECAM 23,120.B, ECAM 23,120.SB, ECAM 23,123.B, Eletta Cappuccino TOP ECAM 45,760.W, Eletta ECAM 44,620.S, Eletta ECAM 45,760 W, Eletta Plus ECAM 44,620.S, ESAM420.40.B, ESAM420.80.TB, Maestosa EPAM960.75.GLM, Magnifica Cappuccino ECAM 23,260 B, Magnifica Compact ECAM 23,460 S, Magnifica S Cappuccino ECAM 22,360.W, Magnifica S ECAM 21,117.B, Magnifica S ECAM 21,117.SB, Magnifica S ECAM 22,110 B, Magnifica S ECAM 22,320 B, Magnifica S ECAM 22,360.S, Magnifica S ECAM 22,360.B, Magnifica S Smart ECAM 250.23.SB, Magnifica S Smart ECAM 250.31.SB, Magnifica S Smart ECAM 250.33.TB, Perfecta DeLuxe ESAM 420.80 TB, Perfecta Deluxe ESAM 460.80.MB, Perfecta Evo ESAM 420.40 B, PrimaDonna Class ECAM 550.65 SB, PrimaDonna Class ECAM 550.65.W, PrimaDonna Class ECAM 550.75.MS, PrimaDonna Class ECAM 550.85.MS, PrimaDonna ECAM 510.55 M, PrimaDonna ECAM 550.55 W, PrimaDonna ECAM 650.55 MS, PrimaDonna ECAM 650.75 MS, PrimaDonna ECAM 650.85 MS, PrimaDonna Elite Experience ECAM 650.85.MS, PrimaDonna Exclusive ESAM 6900.M, PrimaDonna S De Luxe ECAM 28.465.M, PrimaDonna S Evo ECAM 510.55.M, PrimaDonna Soul ECAM 610.75 MB, PrimaDonna Soul ECAM 610.74.MB, PrimaDonna XS ETAM 36.365.M
- **Series ETAM:** ETAM 36.365 Primadonna XS Deluxe

The filter is compatible with the following filter models: DeLonghi SER3017, DeLonghi DLSC002, DeLonghi 5513292811, FilterLogic CFL-950, AquaCrest AQK-11, AQK11, AS-CF060, Filter Logic CFL-950B

Parts of the packaging:

- Instructions

Parameters

Basic parameters

Filtering properties:	water filter
Filters for:	coffee maker
Content of the package (pcs):	1
Lifespan:	2 months / 50 liters of water
Warranty:	2
HS code:	42121

Packaging dimensions

Width of the packaging (cm):	6.5
Height of packaging (cm):	17
Depth of packaging (cm):	4.5
Weight including packaging (kg):	0.128



Właściwości i zalety:

- **Wysoka wydajność:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka jakość filtracji:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Łatwa instalacja:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka trwałość:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.



NSF certyfikowany filtr cząstek stałych i chloru.

Łatwa instalacja i wymiana.

- **Wysoka wydajność**
- **Wysoka jakość filtracji**
- **Łatwa instalacja**
- **Wysoka trwałość**
- **Wysoka jakość filtracji**

Filtracja:

- **Wysoka wydajność:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka jakość filtracji:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Łatwa instalacja:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka trwałość:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.

Właściwości i zalety:

- **Wysoka wydajność:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka jakość filtracji:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Łatwa instalacja:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.
- **Wysoka trwałość:** Filtracja cząstek stałych, chloru, zapachu, smogu. Przepływa przez niego 2000 litrów wody dziennie.

NSF NSF certified raw materials

NSF42 NSF42 certified filters by NSF

TUV Certified by TUV

Product Structure

