

Waste King Commercial 1000

Drtič do středně velkých provozů. Až 1500 jídel ve špičce, 24h provoz, výkon 1500 W, zavěšení pod dřez, 1-fázové provedení.



EAN: 8596220005861

65 990 Kč

54 537 Kč bez DPH

The **Waste King Commercial 1000** is ideal for processing the standard volume of waste from food preparation and kitchen scraps disposal, up to the volume of 1500 meals at peak times. This kitchen waste disposer with a power of **1 HP (745 W)** is suitable for small and medium-sized restaurants, schools, or hospitals. The device is designed to handle continuous (24-hour) operation.

The grinder handles all organic kitchen waste environmentally friendly. You can get rid of it easily in the sink area. You don't have to store it, which eliminates odors and pest presence. In addition, you will save on waste disposal. Thanks to stainless steel blades, the WPC 1000 disposer can handle fibrous and solid waste as well: corn cobs, raw meat, tendons, bones, and so on.

High-quality materials and superior craftsmanship guarantee the durability and longevity of Waste King brand food waste disposers, which have over 50 years of tradition.

The installation of the Waste King 1000 garbage disposer is done by suspending it under the sink. Connecting the water directly to the disposer for rinsing the grinding chamber is optional. The disposer is operated by a button or a rocker switch depending on the installation. The WKC 1000 can be connected

in either single or three-phase version. The device for connecting the disposer to the sink and the button are not included in the package and need to be ordered separately.

How does a waste shredder work?

Using a garbage disposal unit is easy and after a short introduction to its operation, anyone can handle it. Just turn on the water, switch on the disposal unit, and start putting all the organic waste from the kitchen into it. First, the kitchen scraps are crushed by the rotating plate and the grinding ring. After coarse grinding, stainless steel blades hidden underneath the grinding plate take over. Thanks to this, professional disposal units can even process fibrous waste, such as raw meat or corn cobs. The organic waste, crushed into particles the size of a grain of rice, then travels into the sewer.

Designed for professional use.

In comparison to household waste disposers, commercial waste disposers have a more robust construction. Reliable induction motors with their own cooling system are used. The grinding chambers of these waste disposers are more spacious for comfortable use and crushing larger quantities of kitchen waste at once.

Swing blades. Cast iron blades with tungsten carbide tips.

Waste King kitchen waste disposers have patented swivel impellers that minimize the possibility of jamming the disposer with tough materials like bones. As a result, Waste King disposers do not need a reverse button. In case of jamming, the impellers simply tilt and then return to their original position.

Precision processing and used materials

Waste King professional kitchen waste disposers are designed and manufactured with an emphasis on durability. The rotating plate is made of stainless steel and the grinding ring is made of hardened cast iron. The swing blades are made of cast iron combined with tungsten carbide tips, which are known for their high hardness and increase the effectiveness of grinding and the overall lifespan of the device. The undercut blades are made of high-quality stainless steel. The cast iron body of the disposer is treated with silver paint.

Quiet and safe operation.

The disposer is connected to the sink via a rubber top. Vibrations are thus dampened and there is an overall reduction in noise during use. The built-in sleeve prevents water from splashing during use. The disposers are equipped with protection against short-circuits and a resettable thermal fuse, which protects the motor from potential overload.

About the brand Waste King

ANAHEIM MANUFACTURING COMPANY - AMC Mfg. USA has been developing and manufacturing Waste King disposers since 1957. Over the course of more than 50 years, they have introduced a whole range of new innovative patented solutions. Thanks to their quality, Waste King disposers have become a model for other disposers from China and other countries. However, there is only one unbeatable original.

NOTE:

The connection must be performed by a person with professional qualifications for performing activities on electrical equipment in accordance with Decree No. 50/1978 Coll. or, from 1.7.2022, according to

Government Regulation No. 194/2022 Coll., including the issuance of an installation protocol or inspection report.

The electrical connection depends on the method of control and the connection to the existing electrical installation.

The control of turning on can be also solved using a pneumatic switch directly from the table, but with the option of a main safety switch nearby.

When turning on the garbage disposer, the water supply must always be ensured, preferably by an automatically electromagnetic valve. Operation without water is not allowed, there is a risk of damaging the sealing.

During installation and operation, always follow the instructions provided in the supplied manual and operating instructions.

All documentation is available for download with each shredder model.

Parameters

Basic parameters

Model:	Waste King Commercial 1000
Use:	Commercial food manufacturing
Commercial use capacity:	Up to 1500 meals.
Warranty:	2
Product TARIC code:	85098000

Technical parameters

Mounting method - installation:	Mounted to the sink's flange Ø 15 cm, mounting system Ø 9 cm
Surface finish - color:	Silver varnish
Boot system:	According to installation (pressure switch-button, rocker switch, etc.)
Chamber opening diameter:	Ø 12 cm
Rotary plate:	Stainless steel
Grinding segments:	Tungsten carbide blades with tungsten carbide tips
Grinding ring:	Refined cast iron
Bearings:	Maintenance-free, ball, enclosed
Protective cushion:	Built-in, rubber with lamellas
Sink drain hole:	Ø 15 cm
Possibility of running:	24 hours a day
Waste pipe diameter:	A minimum of 50 mm is recommended
Cuff material:	Rubber

Electric specifications

Input voltage:	110-120 / 220-240 V
Frequency:	50/60 Hz
Power input:	1 500 W
Performance:	1 HP (745 W)
Current consumption:	12 / 6 equals 2.
Motor type:	Self-cooled induction motor
Engine speed:	1450 / 1725 ot. min. translates to "1450 / 1725 rpm."
Engine power (W):	745

Protective and security elements

Resettable thermal fuse:	Yes, reset via fuse button
Short circuit protection:	Yes
Electricity class protection:	I. (protective conductor)

Dimensions, weight, packaging

Device dimensions:	510 x 227 x 227 mm (l/w/h)
Device weight:	19 kg
Packaging dimensions:	555x310x310 mm (h/w/d)
Packing method:	Protective polybag, polystyrene cover, cardboard box
Weight including packaging (kg):	20
Width of the packaging:	31
Height of the packaging:	56
Depth of the packaging:	31

